

MILD STEEL ROD ENDS

CM3	10-32 Male Rod End	6.32
CW3	10-32 Female Rod End	6.20
CW4	1/4"-28 Female Rod End	6.40
CM5	5/16"-24 Male Rod End	7.08
CB5	5/16"-24 Left Hand Male Rod End	7.08
CW5	5/16"-24 Female Rod End	6.48
CM6	3/8"-24 Male Rod End	8.00
CB6	3/8"-24 Male Left Hand Rod End	8.00
CM7	7/16"-20 Male Rod End	9.48
CB7	7/16"-20 Male Left Hand Rod End	9.48
CM8	1/2"-20 Male Rod End	12.68
CB8	1/2"-20 Male Left Hand Rod End	12.68

Mark Williams Enterprises stocks a complete line of mild steel Aurora® spherical rod ends. The mild steel rod ends listed here are a 2 piece design and are ideal for applications such as throttle, shifter, clutch linkage, and other light duty applications.



CM10

CM10	5/8"-18 Male Rod End	17.14
CB10	5/8"-18 Male Left Hand Rod End	17.14
CM12	3/4"-16 Male Rod End	23.26
CB12	3/4"-16 Male Left Hand Rod End	23.26
XM10	3/4"-16 Male Rod End <i>3/4-16 Thread on shank with 5/8" hole in ball.</i>	38.06
XB10	3/4"-16 Male Left Hand End <i>3/4-16 Thread on shank with 5/8" hole in ball.</i>	38.06

TUBE ADAPTERS & CLEVISES

MW weld in tube adapters make fabricating linkage, struts, or any application that requires joining a male rod end or threaded clevis to chromoly tubing a snap. All MW tube adapters are CNC machined and lead screw tapped to ensure a precise and square

10510	Tube Adapter, 5/16"-24 to 5/8 x .058	6.06
10510L	Tube Adapter, 5/16"-24 L.H. to 5/8 x .058	5.62
10610	Tube Adapter, 3/8"-24 to 5/8 x .058	4.58
10610L	Tube Adapter, 3/8"-24 L.H. to 5/8 x .058	4.97
10612	Tube Adapter, 3/8"-24 to 3/4 x .058	5.64
10612L	Tube Adapter, 3/8"-24 L.H. to 3/4 x .058	5.64
10614	Tube Adapter, 3/8"-24 to 7/8 x .058	6.70
10614L	Tube Adapter, 3/8"-24 L.H. to 7/8 x .058	6.70
10714	Tube Adapter, 7/16"-20 to 7/8 x .058	7.34
10714L	Tube Adapter, 7/16"-20 L.H. to 7/8 x .058	7.34
10814	Tube Adapter, 1/2"-20 to 7/8 x .058	7.34
10814L	Tube Adapter, 1/2"-20 L.H. to 7/8 x .058	7.34
10816	Tube Adapter, 1/2"-20 to 1 x .058	7.50
10816L	Tube Adapter, 1/2"-20 L.H. to 1 x .058	7.50
11016	Tube Adapter, 5/8"-18 to 1 x .058	7.50
11016L	Tube Adapter, 5/8"-18 L.H. to 1 x .058	7.50
11018	Tube Adapter, 5/8"-18 to 1 1/8 x .083	8.25



11018L	Tube Adapter, 5/8"-18 L.H. to 1 1/8 x .083	8.25
11218	Tube Adapter, 3/4"-16 to 1 1/8 x .083	8.25
11218L	Tube Adapter, 3/4"-16 L.H. to 1 1/8 x .083	8.25
11220	Tube Adapter, 3/4"-16 to 1 1/4 x .058	9.50
11220L	Tube Adapter, 3/4"-16 L.H. to 1 1/4 .058	9.50
11221	Tube Adapter, 3/4"-16 Thread <i>For 1-1/4 x .095 tubing, for 4-link rear suspension</i>	9.50
11221L	Tube Adapter, 3/4"-16 L.H. Thread <i>For 1-1/4 x .095 tubing, hex wrench driver for 4-link</i>	11.00

WELD-IN CLEVISES



20316

MW weld-in clevises are manufactured in-house from 4130 steel on CNC machinery. All are designed with a step down diameter for a precise fit in the chromoly tubing listed. MW weld-in clevises work great for wing struts, wheelie bars etc. See page 81 for tabs that can be used.

20210	5/8" Weld Clevis <i>Fits 5/8" x .058" tubing and 1/8" thick bracket. 1/4" hole.</i>	12.75
20312	3/4" Weld Clevis <i>Fits 3/4" x .058" tubing and 3/16" thick bracket. 5/16" hole.</i>	14.25
20314	7/8" Weld Clevis <i>Fits 7/8" x .058" tubing and 3/16" thick bracket. 5/16" hole.</i>	15.00
20316	1" Weld Clevis <i>Fits 1" x .058" tubing and 3/16" thick bracket. 5/16" hole.</i>	16.50
20416	1" Weld Clevis <i>Fits 1" x .058" tubing and 1/4" thick bracket. 5/16" hole.</i>	18.00

